

GERMAN
POOL



德國寶

蒸氣電熨斗



STEAM IRON



強力蒸氣瞬間除縐

Powerful Steam Burst for More Efficient Ironing

全新德國寶熨斗系列集多項先進技術於一身，強力蒸氣噴射功能，助您更快熨平縐褶。除了水平熨衣，更可採用蒸氣噴射垂直熨衣，操作方便順暢。特設雙重鈣化清洗功能，熨斗從此不受水中雜質影響，時刻表現卓越。

The new series of German Pool Steam Iron is a blend of the latest technology. Its powerful steam burst function helps you to remove creases even faster. In addition to horizontal ironing, you can iron as smoothly in the vertical way with steam burst. The double active calc system removes scale particles from the irons, enabling it to give great performance from time to time.



RT-3185

- 易拆式 210 毫升特大水箱
- 自動感應無動作斷電功能
- 噴霧功能及強力蒸氣噴射功能
- 垂直強力蒸氣噴射功能
- 抗鈣化功能
- 超順滑易潔陶瓷表層底板
- 自動清洗功能
- 過熱安全保護裝置
- 特設防滴漏裝置
- 舒適防滑手柄
- 2m 特長 360° 環迴多向電源線
- 210 ml Detachable Water Tank
- Auto Shut Off
- Water Spray & Powerful Steam Burst
- Powerful Vertical Steam Burst
- Anti-calc Function
- Ceramic Coated Soleplate
- Self-clean Function
- Overheat Safety Protection
- Built-in Anti-drip Device
- Anti-slip Soft Grip Handle
- 2m Extra Long 360° Swivel Power Cord



超順滑易潔陶瓷表層底板
Ceramic Coated Soleplate



RT-2185

- 易拆式 210 毫升特大水箱
- 噴霧功能及強力蒸氣噴射功能
- 垂直強力蒸氣噴射功能
- 抗鈣化功能
- 流線不銹鋼表層底板
- 自動清洗功能
- 過熱安全保護裝置
- 特設防滴漏裝置
- 舒適防滑手柄
- 2m 特長 360° 環迴多向電源線
- 210 ml Detachable Water Tank
- Water Spray & Powerful Steam Burst
- Powerful Vertical Steam Burst
- Anti-calc Function
- Stainless Steel Soleplate
- Self-clean Function
- Overheat Safety Protection
- Built-in Anti-drip Device
- Anti-slip Soft Grip Handle
- 2m Extra Long 360° Swivel Power Cord



流線不銹鋼表層底板
Stainless Steel Soleplate



RT-1120

- 內置 300 毫升特大水箱
- 噴霧功能及強力蒸氣噴射功能
- 垂直強力蒸氣噴射功能
- 乾熨/蒸氣熨衣功能選擇
- 優質易潔表層底板
- 自動清洗功能
- 過熱安全保護裝置
- 2m 特長 360° 環迴多向電源線
- 300 ml Extra Large Built-in Water Tank
- Water Spray & Powerful Steam Burst
- Powerful Vertical Steam Burst
- Dry / Steam Ironing
- Non-stick Coated Soleplate
- Self-clean Function
- Overheat Safety Protection
- 2m Extra Long 360° Swivel Power Cord



優質易潔表層底板
Non-stick Coated Soleplate



規格 Specifications

型號 Model	RT-3185	RT-2185	RT-1120
電壓 Voltage	220-240 V	220-240 V	220-240 V
頻率 Frequency	50/60 Hz	50/60 Hz	50/60 Hz
功率 Power	1,850-2,200 W	1,850-2,200 W	1,200-1,440 W
電流 Electric Current	10 A	10 A	6 A
底板類型 Type of Soleplate	易潔陶瓷表層 Ceramic Coating	流線不銹鋼表層 Stainless Steel Coating	易潔表層 Non-Stick Coating
水箱類型 Type of Water Tank	易拆式 Detachable	易拆式 Detachable	嵌入式 Built-in
水箱容量 Water Tank Volume	210 ml	210 ml	300 ml
噴霧設備 Spray	●	●	●
強力蒸氣噴射 Burst of Steam	●	●	●
垂直強力蒸氣噴射 Vertical Burst of Steam	●	●	●
自動清洗功能 Self-Clean	●	●	●
抗鈣化裝置 Anti-Calc System	●	●	○
防滴漏裝置 Anti-Drip System	●	●	○
防滑把手 Soft-Grip Handle	●	●	○
自動斷電功能 Automatic Shut-Off	●	○	○
蒸氣輸出量：連續 Steam Output: Normal	35 g/min	35 g/min	21 g/min
蒸氣輸出量：強力噴射 Steam Output: Burst	24 g/min	24 g/min	21 g/min
蒸氣輸出量：垂直強力噴射 Steam Output: Vertical Burst	24 g/min	24 g/min	21 g/min
最高蒸氣量 Maximum Steam Burst	59 g/min	59 g/min	42 g/min
安全裝置 Safety Device	過熱安全保護裝置 Overheat Safety Protection		
顏色 Colour	Light Grey	Light Blue	Light Purple
電源線長度 Power Cord Length	2 m	2 m	2 m
尺寸 Dimensions	(H) 145 mm (W) 116 mm (D) 280 mm	(H) 145 mm (W) 116 mm (D) 280 mm	(H) 135 mm (W) 117 mm (D) 270 mm
淨重 Net Weight	1.39 kg	1.39 kg	1.10 kg

*規格和設計如有變更，恕不另行通知。 Specifications are subject to change without prior notice.

德國寶 (香港) 有限公司 GERMAN POOL (HONG KONG) LIMITED

總代理 / 廚櫃及電器陳列中心 Sole Agent & Showroom

九龍土瓜灣馬頭角道116號
新寶工商中心高層地下2-4號室
Room 2-4, Upper G/F, Newport Centre,
116 Ma Tau Kok Road, Tokwawan, Kln.
電器 Home Appliances : T. 2773 2888
廚櫃 Kitchen Cabinetry : T. 2773 2828
電郵 E-mail: info@germanpool.com

廚櫃及電器陳列中心 Showroom

香港灣仔摩利臣山道
22號地舖(南洋酒店對面)
Ground Floor, 22 Morrison Hill Road,
Wanchai, Hong Kong
廚櫃 Kitchen Cabinetry : T. 3110 2030
電郵 E-mail: info@germanpool.com



© 版權所有。未獲本公司授權，不得翻印、複製或使用本單張作任何用途。

© All rights reserved. Copying, reproducing or using the contents of this leaflet is not allowed without prior authorization from German Pool.

RT-PS-08(2)