



Zip Water **Professional** HydroBoil Series



國際權威飲用水專家 INTERNATIONAL EXPERT ON DRINKING WATER











創立於1947年澳洲悉尼,Zip Water於過去超過 75年間不斷革新及完善飲水科技,成為全球領先 的飲用水專家,所有產品從研發、製造到質檢及 包裝,都由專業工程師依照國際標準及規格嚴格 把關。時至今日, Zip Water的產品已經走進全球 超過70個國家、成千上萬個家庭及辦公室,完美 取代樽裝水,帶來環保健康的一站式優質飲用水方 案;更致力推動可持續發展,協助企業及機構邁向 零碳排放,為保護地球出一分力。

Zip Water, founded in Australia in 1947, has been innovating and perfecting drinking water technology for over 75 years, establishing itself as a global leader in the industry. Every product is developed, manufactured, tested and packaged in accordance with the strictest international standards. Today, Zip Water is a trusted name in over 70 countries, delivering a complete solution for high-quality, healthy drinking water to homes and businesses, contributing to achieving carbon neutrality and protecting the environment.

榮獲全球至齊全 國際標準認證 WORLD'S MOST ACCREDITED & CERTIFIED WATER SYSTEM



國際飲用水安全認證 International Drinking Water Safety Certifications











英國水務規範認證 Water Regulations Advisory Scheme

澳洲水標誌認證 WaterMark Certification

美國統一管道規範認證 **UPC Shield Mark**

美國國際管道暖通機械認證 IAPMO R&T Certification

澳洲用水效率標籤與標準 Water Efficiency Labelling and Standards







ISO國際標準驗證 ISO Certifications



美國國家衛生基金會認證 NSF Certification



Kiwa UK Water Regulation 4 Certification

國際品質認證及獎項

International Quality Certifications & Awards

BREEAM

英國建築研究所環境評估認證 BREEAM Sustainable Building Certification



UK Conformity Assessed





Conformité Européenne



EcoVadis可持續發展獎銀牌 EcoVadis - Silver Medal

Regulatory Compliance Mark





WELL健康建築標準 The WELL Building Standard®



ARCtick Licensing





Good Design Australia



iF設計獎 iF Design Award

掛壁式即熱滾水機 **HYDROBOIL — WALL MOUNT INSTANT WATER BOILERS**



一個既安全可靠,又兼具高能源效益與便利性的 飲用水解決方案 — Zip Water 掛壁式即熱滾水機 系列,以卓越品質與耐用性著稱,出色的節能 表現,特別適合高使用量的場所,例如辦公室、 餐飲業、學校及工商環境, 隨時提供即熱滾水。

Zip Hydroboil Wall Mount Instant Water Boiler Series is safe, reliable, efficient as it is convenient, capable of continuously supplying boiling water in high-demand environments such as offices, restaurants, schools and hospitals.



全機澳洲設計及製造



Cut Down Energy Costs



Advanced Filter System Pure Water Quality & Taste



Boil Water Instantly Safely Boost Productivity

專業級即熱滾水方案 PROFESSIONAL INSTANT BOILING WATER SOLUTION



方便易用 CONVENIENCE

HydroBoil 精準控溫,水溫維持在沸點±0.5℃,隨 時供應即熱滾水,節省時間,提升工作效率。

HydroBoil provides reliable, instant boiling water within 0.5°C of boiling point, with advanced temperature control to save time and boost workplace productivity.



多款容量選擇 WIDE RANGE OF OPTIONS

HydroBoil 提供從 3 至 40 公升型號任君選擇,滿 足對滾水需求量高的場景。

Available in 3-litre to 40-litre models, for high demand environments from offices to hospitals, there's a HydroBoil for every situation.



環保慳電 ENERGY EFFICIENT

專利 Steam-Heat-Boost™ 技術透過回收蒸氣預熱 來水,有助加速滾水沸騰。HydroBoil 亦配備高效 保溫層、電子控溫及先進的 Power-Pulse™ 技術, 大幅節省能源。

Patented Steam-Heat-Boost™ recycles steam to preheat cold water for speedy boiling. HydroBoil further saves energy with high-temperature insulation, electronic control, and Power-Pulse™ technology.



慳位設計 SPACE SAVING

HydroBoil採用掛壁式設計,助您釋放檯面及櫃下 空間,無需使用水煲,避免電線雜亂。

The wall-mounted HydroBoil frees up counter and under-counter space, eliminating clutter from kettles and exposed power leads.



堅固耐用 BUILT TO LAST

高質耐用,值得您信賴。HydroBoil 全系列產品均 經過嚴格測試,讓您安心使用。

High quality, durable, offering reliability and long-term performance that you can trust. HydroBoil is rigorously tested for safety and reliable performance.

醫療級濾網 過濾細至0.2微米有害物質 0.2 MICRON HOSPITAL-GRADE FILTRATION

0.2
MICRON

配備MicroPurity™系統,將活性碳除味及0.2微米沉積物過濾技術集於一身。易於更換且 衛生的濾芯,符合NSF 42(改善口感與外觀效果)及NSF 53(健康效益)標準,能有 效過濾水中的細菌、異味、有害物質等。

MicroPurity™ combines activated carbon and 0.2 micron filtration in a hygienic, easy-change cartridge. Certified to NSF 42 and 53, it eliminating bacteria, sediment, and odours.

0.2 微米 Micron

Fibredyne碳纖維濾芯
Fibredyne carbon element
高效過濾0.2微粒顆粒、鉛、 氯、異味、氣味及囊蟲等
水中的有害物質
Eliminates particulates,
lead, chlorine, taste, odour
and cysts to 0.2 micron

0-5 微米 Micron 摺疊式預過濾網 Pleated membrane pre-filter 高效過濾0.5微米顆粒物 Removes particulates greater than 0.5 micron



防水垢抑制劑
Limescale inhibitor
具抑制細菌效果,
同時減少水垢形成
Delivers bacteriostatic effects,
reduces limescale build up

專利設計 提供高效純淨熱水 PATENTED PURE HOT WATER SYSTEM

專利雙膽技術

分開儲存來水與滾水

Patented Twin Chamber Technology

Stores incoming cold water separately from boiling water

專利 Steam-Heat-Boost™ 系統 利用蒸氣熱力預熱來水

Patented Steam-Heat-Boost™ System
Recycles energy from steam

to preheat incoming cold water Zip

MicroPurity™ 過濾系統

Effectively reduces impurities for pure-tasting water

專利 Teflon™ 計量管

自動調節進水量保持熱水於設定温度 Patented Teflon™ Metering Tube

Regulates water inflow so hot water is maintained at set temperature

一**體成型保溫層** 卓越保溫效能減少熱量流失

Moulded High Temperature Insulation
Superior heat retention performance

高效去除雜質供應純淨水 minimises boiling water heat loss MicroPurity™ System

5 | German Pool | Zip Water Professional Hydroboil Series 德國寶 | 澳洲Zip Water商用即熱滾水機系列 | 6

至環保慳電之選

ENERGY-SAVING & SUSTAINABLE



每週用電量報告* Reported Weekly Power Consumption*

其他品牌 Competitor 12.0 kWh Zip Hydroboil 9.7 Zip kWh Hydroboil Plus 8.0 標準耗電量 耗電少18% 耗電多23% Uses 23% Benchmark Uses 18% more energy less energy

Hydroboil Plus 啟用睡眠模式 in Sleep Mode 5.7 kWh 耗電少41% Uses 41% less energy

Zip

啟用定時模式 in Timer mode 4.4 kWh 耗電少55% Uses 55% less energy

Zip Hydroboil Plus

*由實驗室測試5公升即熱滾水機所得出之耗電量計算

ZIP HYDROBOIL

(雙向水龍頭 TWO-WAY CLASSIC TAP)







HYDROBOIL 3

型號 Model No.: 403752

容量 Capacity:

3.0 L

功率 Power (kW@230V):

1.4 kW

適用人數 Users:

杯/小時 Cups per hour: 100 (167 ml)

尺寸 Dimensions (HxWxD): 440 x 300 x 185 mm







HYDROBOIL 5 型號 Model No.: 405752

容量 Capacity:

5.0 L

功率 Power (kW@230V):

2.2 kW

適用人數 Users:

杯/小時 Cups per hour:

140 (167 ml)

尺寸 Dimensions (HxWxD):

473 x 330 x 201 mm



HYDROBOIL 7.5

Model No.: 407752

容量 Capacity:

7.5 L

功率 Power (kW@230V):

2.2 kW

適用人數 Users:

杯/小時 Cups per hour:

140 (167 ml)

尺寸 Dimensions (HxWxD):

586 x 330 x 201 mm





HYDROBOIL 15

Model No.: 415752

容量 Capacity:

15 L

功率 Power (kW@230V):

2.8 kW

適用人數 Users:

杯/小時 Cups per hour:

180 (167 ml)

尺寸 Dimensions (HxWxD):

608 x 405 x 301 mm



HYDROBOIL 25

Model No.: 425752

容量 Capacity:

功率 Power (kW@230V): 2.8 kW

適用人數 Users:

180

杯/小時 Cups per hour: 215 (167 ml)

尺寸 Dimensions (HxWxD): 788 x 405 x 301 mm







HYDROBOIL 40

Model No.: 440752

容量 Capacity:

40 L

功率 Power (kW@230V):

5.6 kW

適用人數 Users:

240

杯/小時 Cups per hour:

240 (167 ml)

尺寸 Dimensions (HxWxD):

850 x 530 x 290 mm

7 | German Pool | Zip Water Professional Hydroboil Series

^{*}Typical results from laboratory testing of five-liter instant boiling water systems

ZIP HYDROBOIL PLUS


(輕觸控制/雙向防燙水龍頭 TOUCHSCREEN / TWO-WAY COOL-TOUCH TAP)











HYDROBOIL PLUS 3

Model No.: 403062

容量 Capacity:

3.0 L

功率 Power (kW@230V):

1.4 kW

適用人數 Users:

18

杯/小時 Cups per hour:

100 (167 ml)

尺寸 Dimensions (HxWxD):

439 x 300 x 183 mm





HYDROBOIL PLUS 5

Model No.: 405762

容量 Capacity:

5.0 L

功率 Power (kW@230V):

2.2 kW

適用人數 Users:

30

杯/小時 Cups per hour:

150 (167 ml)

尺寸 Dimensions (HxWxD):

473 x 329 x 201 mm





HYDROBOIL PLUS 7.5

Model No.: 407762

容量 Capacity:

7.5 L

功率 Power (kW@230V):

2.2 kW

適用人數 Users:

杯/小時 Cups per hour:

150 (167 ml)

尺寸 Dimensions (HxWxD):

586 x 329 x 201 mm

配件及耗材 ACCESSORIES & CONSUMABLES





Z-Tap™ 帶鎖防燙水龍頭 Replacement Lever

有助防止使用者意外燙傷。Z-Tap™採用上鎖設計,必須先抬起安全鎖才 能操作水龍頭出水。適用於所有HydroBoil型號。

Helps protect users from accidentally burning themselves. The Z-Tap is always "locked" requiring a small lever to be lifted in order to operate the tap and dispense boiling water. Suits all HydroBoil models.



Z-Guard™ 防燙水龍頭蓋 Non-scorch Tap Cover

為用戶提供額外保護,防止接觸傳統款式滾水龍頭的高溫金屬表面。 適用於所有HydroBoil型號。

Additional protection for users to guard against the hot metallic surface of traditional style boiling water taps. Suits all HydroBoil models.



Drip Tray 滴水盤 To Catch Excess Water

Zip掛壁式即熱滾水機建議安裝於水槽滴水板上方。若無水槽,Zip提供以 下滴水盤選項:便攜式(手動排水)或固定式(自動排水)。 Zip wall-mounted boiling water unit should be installed over a sink draining board. Where this is not possible, Zip offers the following Drip Tray options: Portable (manually-drained), Fixed (self-draining).



Tundish 排氣導流組件 Safe Steam Vent

在排氣系統上安裝排氣導流組件,可形成「氣隙」有效隔斷HydroBoil 與溢流排水口,並在出現溢流時提供清晰可見的檢查提示。Zip提供兩 款排氣導流組件選項:直角款(掛壁式)或直身款(洗滌槽式)。

Installing a Tundish on your vent system creates an "Air Gap" to effectively break the link between the HydroBoil and the overflow waste, and offers a visible inspection if there is an overflow. Zip offers Right Angle (wall-mounted) or Straight (sink-mounted) tundish.



Touch Free 免觸碰手柄配件 Tap Adaptor

這款易於安裝的配件,讓使用者只需用杯子向後推動手柄,即可輕鬆 出水。它可直接套於現有手柄上,特別適合對衛生有更高關注的場合 使用。適用於所有HydroBoil型號。

The simple to install accessory enables users to dispense boiling water by pushing back on the handle with a cup. It easily fits over the existing handle, where there may be concerns around hygiene. Suits all HydroBoil models.



MicroPurity™ 高效濾芯 Replacement Filter

適用於所有HydroBoil和HydroBoil Plus型號。 Suits all HydroBoil and HydroBoil Plus models.





德 國 寶 提 供 澳 洲 Zip Water 星 級 銷 售 及 售 後 服 務 German Pool offers premium service and support for all Zip Water products



產品查詢及報價 **Enquiry and Quotation**



維修及售後服務 Maintenance After-Sales Service


本目錄提供的產品尺寸只供參考。就現場環境可能出現之個別限制,我們強烈建議顧客在展開任何工程包括木工及開孔前,先預約德國寶專業技術員上門勘查後決定,一切以現場實際環境條件為準。德國寶對德國寶以外 的第三方安裝產品時所造成的任何產品損失或損壞概不負責。 儘管本公司致力於確保本目錄中資料的準確性。對於任何不正確或打印錯誤,德國寶不會承擔任何賠償。本公司保留隨時更新本免責聲明的權利。產品規格及設計如有變更,恕不另行通知。中英文版本如有出入,一概以

中文版為準。最新版本以www. germanpool.com網上版為準。
We strongly recommend customers to have our qualified professional technician do an on-site consultation before carrying out any renovation or cut-out carpentry, to ensure product can be properly installed, as every site is different

and may have its own physical limitations. German Pool (HK) Ltd. is not liable for any loss or damage occurred through improper measurement or installation of the product/s by parties other than German Pool.

Whilst German Pool endeavors to ensure the accuracy of the Information in this catalogue, German Pool shall bear no liability for any incorrectness or misprint, and reserves the right to update any changes in this disclaimer at any time with or without prior notice. If there is any discrepancy between the English and Chinese versions of this catalogue, the Chinese version shall prevail. Please refer to www.germanpool.com for the most up-to-date version.

德國寶(香港)有限公司 GERMAN POOL (HONG KONG) LIMITED











電話 Tel: +852 2773 2888 zip@germanpool.com

® 版權所有。未獲本公司授權,不得翻印、複製或使用本單張作任何商業用途。

All rights reserved. Copying, reproducing or using the contents of this leaflet is not allowed without prior authorization from German Pool.